

GlobeSurfer II 7.2 Quick Start Guide



P.O. Box 874, P.C. 111, Central
Post Office, Sultanate of Oman
www.nawras.om


النورس
nawras
خليك قريب
Get closer

Everyday Use

You can access and browse the Internet through GlobeSurfer II 7.2 and use your e-mail just as if your computer is always connected. If the GlobeSurfer II 7.2 does not connect automatically, then use the checklist below to connect your GlobeSurfer II 7.2 to the Internet.

• Step 1

Make sure that the power adapter is connected, the GlobeSurfer II 7.2 unit is on and the SIM-card is inserted correctly.

• Step 2

Open an Internet browser on your computer and click the bookmarked link to GlobeSurfer II 7.2, or type <http://192.168.1.1> in the address bar.

Default user name and password is «**admin**»

Note: If this does not work make sure that your computer is connected to GlobeSurfer II 7.2 using either LAN or WLAN. If you are uncertain, check the 'Network Connections' in 'My Network Places' or in the Windows® Control Panel.

• Step 3

Enter the PIN code, if requested, and click 'OK'.

1. The 'Connection Status' window is displayed.
2. Click 'Connect', or press the connect button on the top of your GlobeSurfer II 7.2, to connect to the Internet.

'UMTS connected' (or 'EDGE connected') is displayed on the GlobeSurfer II 7.2 display when the connection is established and 'Connected' is displayed in the Connection Status window. You are now connected to the Internet and you can open a new browser window and start surfing on the Internet.

Note: No need to log in to make phone calls or surf on the Internet. If you want to change settings or to send or read SMS text messages then you have to log in to GlobeSurfer II 7.2.

First time setup

Note: You need a SIM-card from your mobile operator to use GlobeSurfer II 7.2. Please insert the SIM-card before you plug in the power adapter.

• Step 1: Insert SIM-card

Insert the SIM-card:

Insert the SIM-card into the slot on the right-hand side of the GlobeSurfer II 7.2. Press carefully until it snaps into place.

Note: The orientation notch must face downwards to the left with the gold plated contacts facing away from you.

• Step 2: Connect power

Connect the power adapter:

Caution: Use the power adapter supplied with GlobeSurfer II 7.2. Using a different power adapter can damage GlobeSurfer II 7.2.

Plug the power adapter into the AC mains and plug the DC cable firmly into the 5V DC input of GlobeSurfer II 7.2.

The unit powers-up within about 30 seconds.

• Step 3: Connect your computer

Connect your computer:

Note: DO NOT enter the PIN code now! Enter it during 'Step 6'.

When the message 'Enter PIN' is displayed, connect your computer to the GlobeSurfer II 7.2 using a LAN cable or a WLAN network.

Note: If you want to use a wireless (WLAN) connection to perform the initial setup, WLAN must be installed and activated on your computer. For information on how to set up WLAN on your computer please see WLAN connection in 'Step 8'.

• **Step 4:** Log in to GlobeSurfer II 7.2

Log in to GlobeSurfer II 7.2:

1. Start your web browser.
Enable cookies or allow them for this address.
2. Type <http://192.168.1.1> in the browser address bar, and press 'Enter' or click 'Go': The GlobeSurfer II 7.2 Management Console opens up with the Welcome page.
3. Tip: Save the link (URL) to this page as a bookmark in your browser [follow the instructions in your web browser].
You can then easily access the GlobeSurfer II 7.2 Management Console in the future by using the bookmark.
4. Select the language you want to use.
5. Enter a password for this account in the 'New password' field and again in the 'Retype password' field.

Note: The user name for the default account is 'admin', use this together with your password next time you are asked to log in.

6. Click 'OK' to save the new password.
The 'Quick Setup Wizard' opens.

• **Step 5:** Setup

Setup GlobeSurfer II 7.2 with the 'Quick Setup Wizard':

The 'Quick Setup Wizard' guides you through the main settings for your GlobeSurfer II 7.2 and, most importantly, gets you connected straight away.

1. Read the instructions on each page and fill in the requested details and click 'Next' to carry on.
2. When you get to the 'Finish' page, read the summary of the settings you have chosen.
3. Click 'Finish' to accept settings and confirm with 'OK'.

Note: Finish the 'Quick Setup Wizard' before going on to 'Step 6'.

Please fill in below Information:

Telephony:	ETSI DTMF
UMTS:	
Access Point Name:	isp.nawras.com.om
UMTS Connect Method:	Connect Manually
Wireless SSID:	GlobeSurfer (you can choose any other name)
SSID Broadcast:	Enable
Wireless Encryption:	We strongly recommend you to please enable encryption to avoid any unauthorised access to this device
Key Type:	ASCII (at least 8 characters)
Pre-shared Key:	Assign your own password
Firewall:	Typical Security

• **Step 6:** Entering the PIN code

Enter the PIN code:

The PIN code is specific to your SIM-card.

You are now asked to key-in the PIN code:

1. Enter the PIN code and click 'OK'.
2. When you get the 'PIN OK' response then click 'OK'.
The Connection window is displayed.

• **Step 7: Connecting**

Connect to the Internet:

1. Click 'Connect'.
2. The status initially shows 'Connecting' and then 'Connected'.
3. Open a new browser window and go to a page on the Internet.

Note: Alternatively, you can press the 'Connect' button on the GlobeSurfer II 7.2 unit.

• **Step 8: Configuring your computers:**

Configuring your computers:

Once GlobeSurfer II 7.2 is configured as above it is ready to be used.

If you are only using the Ethernet LAN connection with the GlobeSurfer II 7.2, no further configuration is needed. Simply open a browser window and use your computer to "surf" the Internet with GlobeSurfer II 7.2.

If you want to use the wireless connection (WLAN), additional settings are required on each computer that is connected to GlobeSurfer II 7.2 via the WLAN.

WLAN connection

Your computer must have a WLAN adapter that supports IEEE 802.11 b/g to set up a wireless connection. If encryption is used, make sure that each computer uses the same type of encryption as configured in the 'Quick Setup Wizard'.

Use the following instructions to connect your computer to the GlobeSurfer II 7.2 if you are using Windows® XP:

1. Turn on your computer and enable the WLAN adapter, if necessary.
2. From the Windows® 'Start' menu, select 'Control Panel'.
3. Click 'Network Connections'.
4. Click 'Wireless Network Connection' and then 'Show Wireless Networks'. A list of available wireless networks is displayed.
5. Select the device with the SSID that you entered in the 'Quick Setup Wizard', or the default SSID, and click 'Connect'. If encryption is set on your GlobeSurfer II 7.2, a window is displayed that requests a 'Network key'. Type in the same pre-shared key that was entered in the 'Quick Setup Wizard'.
6. Enter the pre-shared key in both fields and click 'Connect'.
After about a minute the message 'Connected' is displayed in the window and an icon is displayed in the Windows® XP notification area.
7. In future, your computer will automatically connect to GlobeSurfer II 7.2.